

Sea lice monitoring report for Inverianvie estuary (Gruinard Bay), 30th May 2025

Peter Cunningham (WRFT Biologist) info@wrft.org.uk

Sea trout data (see page 3 for other fish)

Location:		Inverianvie estuary																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
-----------	--	---------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Mortality / early returned estimates for sea trout in sample based on method from Taranger et al 2015, Risk assessment for the environmental impact of Norwegian salmon farming ([PDF](#)) [Risk assessment of the environmental impact of Norwegian Atlantic salmon farming \(researchgate.net\)](#)

Sea trout no	≥13 lice/fish?	Lice/g fish weight	Range	Mortality category	Number of fish in category	Total number of fish in sample	% of sample in category	projected mortality for category %	projected mortality of fish in sample %
1	No	0.000	>0.3	100%	0	3	0.00	0.00	
2	No	0.000	0.2-0.3	50%	0		0.00	0.00	
3	No	0.000	0.1-0.2	20%	0		0.00	0.00	
			<0.1	0%	3		100.00	0.00	0.00

Notes:	
based on the assumption that small salmonid post-smolts (<150g body weight) will suffer 100% lice-related marine mortality, or return prematurely to freshwater for sea trout in the wild if the are infected with >0.3 lice per g of fish weight.	
Furthermore, the lice related marine mortality is estimated to 50%, if the infection is between 0.2 and 0.3 lice per g fish weight, 20% if the infection rate is between 0.1 and 0.2 lice per g fish weight, and finally 0% if the salmon lice infection is <0.1 g fish weight.	
0.05 and 0.1 lice per g fish weight, 20% for lice infections between 0.05 and 0.01 lice per g fish weight, and finally 0% if the salmon lice infection is <0.01 lice g fish weight.	
	colour code
Taranger, G. L., Karlsen, Ø., Bannister, R. J., Glover, K. A., Husa, V., Karlsbakk, E., Kvamme, B. O., Boxaspen, K. K., Bjørn, P. A., Finstad, B.,	100% sea lice related mortality or early return to freshwater
Madhuh, A. S., Morton, H. C., and Sva'sand, T. (2014) Risk assessment of the environmental impact of Norwegian Atlantic salmon farming.	>50% to 99% sea lice related mortality or early return to freshwater
– ICES Journal of Marine Science, doi: 10.1093/icesjms/fts132.	>20% to 50% sea lice related mortality or early return to freshwater
	<20% sea lice related mortality or early return to freshwater
https://www.researchgate.net/publication/266672998_Risk_assessment_of_the_environmental_impact_of_Norwegian_Atlantic_salmon_farming	

Sea lice monitoring report for Inverianvie estuary (Gruinard Bay), 30th May 2025

Peter Cunningham (WRFT Biologist) info@wrft.org.uk

Other fish in sample

No.	Location	Date	Method	Riv/Est/B each	Fish	length (mm)
4	Inverianvie	30-May-25	Sweep Net	est	Flatfish sp	77
5	Inverianvie	30-May-25	Sweep Net	est	Flatfish sp	84
6	Inverianvie	30-May-25	Sweep Net	est	Flatfish sp	96
7	Inverianvie	30-May-25	Sweep Net	est	Flatfish sp	77
8	Inverianvie	30-May-25	Sweep Net	est	Flounder	215
9	Inverianvie	30-May-25	Sweep Net	est	Flounder	235
10	Inverianvie	30-May-25	Sweep Net	est	Flounder	215
11	Inverianvie	30-May-25	Sweep Net	est	Plaice	235
12	Inverianvie	30-May-25	Sweep Net	est	Plaice	135
13	Inverianvie	30-May-25	Sweep Net	est	Plaice	125
14	Inverianvie	30-May-25	Sweep Net	est	Flounder	160
15	Inverianvie	30-May-25	Sweep Net	est	Flounder	123
16	Inverianvie	30-May-25	Sweep Net	est	Flounder	115

Netting team photo Inverianvie (Gruinard Bay) 30th May 2025



Acknowledgements

Monitoring to inform the Ardmair salmon farm Environment Management Plan supported by MOWI

For permissions to sweep net for sea trout, thank to Eilean Darach Estate. Thank you to all helpers.

Sea lice monitoring report for Inverianvie estuary (Gruinard Bay), 30th May 2025

Peter Cunningham (WRFT Biologist) info@wrft.org.uk

Photos: all ©WRFT unless otherwise indicated. All fish in photos were lightly sedated for inspection.

(top to bottom) Sea trout 200mm, 197mm & 198mm; Inverianvie estuary, 30th May 25. No lice on any of these fish

